

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.aiqidi.nt-rt.ru | | aiq@nt-rt.ru

Технические характеристики на двухтактные подвесные моторы T9.9, T15, T18, T9.8, T12, T5, T6, T7, T2.5, T3.5, T9.9, T15, T18 КОМПАНИИ AIQIDI

2T OUTBOARD MOTOR



T2.5/T3.5

ID

Applicable ship type

适用于各种材质的小型船舶等。

The 2-stroke 3.5 horsepower outboard motor is suitable for small vessels of different materials, such as Inflatable boats, wooden boats, FRP boats, plastic boats and so on, ranging from 2.0 m to 4.0 M

Fuel application

二冲程汽油机，汽油与机油按25:1比例混合。

Two-stroke machines use mixed fuel, i.e. gasoline and engine oil are mixed proportionally. Gasoline: oil= running-in period 25:1, 50:l after running-in period.

Features

全铝机身，可180度反转。

This machine has no gear, water cooling system. Aluminum alloy propeller, machine can rotate 180 degrees reversing

> Product parameters

产品型号 Product Model	T2.5	T3.5
发动机类型 Engine Type	2Stroke	i 2Stroke
Idle Speed (r/min)(Neutral position)	1100-1200	1100-1200
Displacement (cc)	6l	6l
Stroke(mm)	45X38	45X38
(kw(ps)/r/min) Max.Power Output(kw(ps)/r/min)	1.8(2.5)@5000	2.6 (3.5)@5500
Gear Ratio	2.08(27/13)	2.08 (27 /13)
Transom Height(mm)	417	417
Fuel Tank(L)	1.3	1.3
Propeller Size(In)	3-7 1/4"*5"	3-7 1/4"*5"
Net Weight(kg)	12.5	12.5
Packing Size(cm)	95X41X27.5	95X41X27.5



T5/T6/T7

Applicable ship type

适用于2.7米至5.0米的小型船只。

The 4-stroke 6 horsepower outboard motor is suitable for small vessels of different materials, such as inflatable boats, wooden boats, FRP boats, plastit boats and so on, ranging from 2.7 m to 5.0 M

Fuel application

二冲程机器使用混合燃料，即汽油和发动机油按比例混合。汽油：运行期间 25:1，50:1 运行后。

Other notes

本机有前、中、后档，风冷系统。铝合金螺旋桨。

This machine has forward, neutral, reverse gear, air-cooling system. Aluminum alloy propeller.

Product parameters

产品型号 Product Model	T5	T6	T7
Engine Type	二冲程 2Stroke	2Stroke	2Stroke
Idle Speed (r/min)(Neutral position)	1500	1500	1500
(cc) Displacement (cc)	102	102	102
Bore xStroke(mm)	55X43	55X43	55X43
Max. Power Output(kw(ps)/r/minute)	3.7(5)@5000	4.4 (6)@5200	5.1 (7)@5400
Gear Ratio	2.08(27/13)	2.08(27/13)	2.08(27/13)
高 Transom Height(mm)	S:435 L:562	S:435 L:562	S:435 L:562
箱容 Fuel Tank(l)	2.5	2.5	2.5
Propeller Size(in)	3.7 1/2 11°8''	3-7 1/2 11°8''	3-7 1/2 11°8''
Net Weight(kg)	20.5	20.5	20.5
Packing Size(cm)	S:111X60X41 L:123.5 X65.5 X43.5	S:111X60X41 L:123.5X65.5X43.5	S:111X60X41 L:123.5 X 65.5 X43.5



T9.8/T12

Applicable ship type

The 2-stroke 12 horsepower outboard motor is suitable for small vessels of different materials, such as Inflatable boats, wooden boats, FRP boats, plastic boats and so on, ranging from 3.0 m to 6.0 M

Fuel application

The two-stroke machine uses mixed fuel. i.e. gasoline and engine oil are mixed in safe proportion.
Gasoline: Oil= running-in period 25:1, 50:1 after running-in period

Other notes

This machine has forward, neutral, reverse gear, water cooling system. Aluminum alloy propeller with 12 liter external gasoline tank.

Product parameters

产品型号 Product Model	T9.8	T12
Engine Type	2Stroke	2Stroke
Idle Speed (r/min)(Neutral position)	1000-1100	1000-1100
Displacement (cc)	169	169
Bore xStroke(mm)	50X43	50X43
Max. Power Output(kw(ps)/r/ml n)	7.2(9.8)@5500	8.8(12)@6000
Gear Ratio	2.08(27/13)	2.08 (27/13)
Transom Height(mm)	S:435 L:562	S:435 L:562
Fuel Tank(L)	12	12
Propeller Size(In)	F8.5	F8.5
Net Weight(kg)	S:26 L:27	S:26 L:27
Packing Size(cm)	S:107X66X39.5 L:118.5 X 65 X39.5	S:107X66X39.5 L:118.5X 65X 39.5



T9.9/T15/T18

Applicable ship type

二、程、船、木、质、料、

The 2-stroke 18 horsepower outboard motor is suitable for small vessels of different materials, such as inflatable boats, wooden boats, FFP boats, plastic boats and so on, ranging from 3.6 m to 7.0 M

Fuel application

二、使、汽、油、

The two-stroke machine uses mixed fuel, i.e. gasoline and engine oil are mixed in safe proportion.

Gasoline: Oil= running-in period 25:1. 50:1 after running-in period

Other notes

款、器、有、进、空、倒、

This machine has forward, neutral, reverse gear, water cooling system. Aluminum alloy propeller with 24 liter external gasoline tank.

Product parameters

产品型号 Product Model	T9.9	T15	T18
发动机类型 Engine Type	2Stroke	2Stroke	2Stroke
Idle Speed (r/min)(Neutrat position)	900-1000	900-1000	900-1000
Displacoment (cc)	246	246	246
Bore xStroke(mm)	56X50	56X50	56X50
Max. Power Output(kw(ps)/r/ml nl)	7.3(9.9)@4500	11 (15)@5500	13 (18)@5800
Gear Ratio	2.08(27/13)	2.08(27/13)	2.08 (27 13)
Transom Height(mm)	S:440 L:567	S:440 L:567	S:440 L:567
油箱容量(L) Fuel Tank(l)	24	24	24
Propeller Size(in)	3-7 1/4"*9"	3-7 1/4"*9"	3.9 1/4" *9"
Net Weig t(kg)	S:36 L:38	S:36 L:38	S:36 L:38
装箱尺寸(cm) Packing Size(fem)	S:120.5X71X39.5 L:132X71X39	S:120.5X71X39.5 L:132X71X39	S:120.5X71X39.5 L:132X71X39

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.aiqidi.nt-rt.ru | | aiq@nt-rt.ru