

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.aiqidi.nt-rt.ru | | aiq@nt-rt.ru

Технические характеристики на четырёхтактные лодочные моторы подвесные F6, F4, F8, F9.9, F12, F20, F25, F15, F50, F60

КОМПАНИИ **AIQIDI**



F4/F6/F8

Applicable ship type

!!!

The 6-stroke 6.0 horsepower outboard motor is suitable for small vessels of different materials, such as inflatable boats, wooden boats, FRP boats, plastic boats and so on, ranging from 2.7 m to 5.0 M.

Fuel application

通

机单

Fuel for four-stroke machine: Please apply more than 92 gasoline. Oil should be added to the oil tank separately.

Other notes

This machine has forward, neutral, reverse gear, air-cooling system. Aluminum alloy propeller.

> Product parameters

产品型号 Product Model	F4	F6	F8
缸数/冲程 Engine Type	4Stroke	4Stroke	Stroke
怠速(r/min) 空速 (r/min) (Neutral position)	1800	1800	1800
Displacement (cc)	139	139	139
缸径*行程(mm) Bore *Stroke(mm)	62X46	62X46	62X46
最大功率输出(kw(ps)/r/min) Max.Power Output(kw(ps)/r/min)	2.9 (4.0)@4800	4.4(6.0)@5000	5.9 (8.0)@5200
变速 Gear Ratio	2.08 (27/13)	2.08(27/13)	2.08(27/13)
机板 Transom Height(mm)	S:440 L:568	S:440 L:568	S:440 L:568
Fuel Tank(L)	1.8	1.8	1.8
Engine oil system capacity	0.6	0.6	0.6
螺旋桨 Propeller Size(in)	3-7 1/2" * 8"	3-7 1/2" * 8"	3-7 1/2" * 8"
Net Weight(kg)	S:27 L:28	S:27 L:28	S:27 L:28
Packing Size(cm)	S:106X65.5X43 L:123.5X65.5X43.5	S:106X65.5X43 L:123.5 X 65.5X43.5	S:106X65.5X43 L:123.5X65.5X43.5



F9.9/F12

Applicable ship type

* 适用于各种类型的船
! 适用于各种类型的船

The 4-stroke 9.9 horsepower outboard motor is suitable for small vessels of different materials, such as inflatable boats, wooden boats, FRP boats, plastic boats and so on, ranging from 3.3 m to 7.0 M

Fuel application

Please apply the above 92 gasoline, and add the oil into the oil tank separately.

This machine has forward, neutral, reverse gear, water cooling system. Aluminum alloy propeller with 12 liters external gasoline tank.

电动前鼻轴

> Product parameters

产品型号 Product Model	F9.9	F12
Engine Type	4Stroke	4Stroke
Idle Speed r/min(Neutral position)	1000-1100	1000-1100
Displacement (eel)	212	212
程 Bore xStroke(mm)	56 X 43	56 X 43
Max.Power Output(kw(ps)/r/min)	7.3 (9.9)@5500	8.8 (12)@6000
速 Gear Ratio	2.08(27/13)	2.08(27/13)
U ffi ll (mm) Transom Height(mm)	S:431 L:558	S:431 L:558
容 Fuel Tank(l)	12	12
Engine oil system capacity	0.8	0.8
Propeller Size(In)	3-8 1/2 X 8" * 1/2"	3-8 1/2 X 8" * 1/2"
NetWeight(kg)	S:41.6 L:43	S:41.6 L:43
装 Packing Size(cm)	S:122.5 X 724 X 49 L:135.5 X 72 X 49	S:122.5 X 724 X 49 L:135.5 X 72 X 49



F15/F20/F25

Applicable ship type

船机

The 4-stroke 20 horsepower outboard motor is suitable for small vessels of different materials, such as inflatable boats, wooden boats, FRP boats, plastic boats and so on, ranging from 4.2 m to 7.0 M

Fuel application

Please use more than 92 gasoline. Oil should be added to the oil tank separately.

Other notes

款机

置箱

This machine has forward, neutral, reverse gear, water cooling system. Aluminum alloy propeller with 24 liters external gasoline tank.

Optional models:

- F15/F20/F25HS - Manual, Rear operation, Short shaft
- F15/F20/F25HL - Manual, Rear operation, Long shaft
- F15/F20/F25FES - Electric start, Front operation, Short shaft
- F15/F20/F25FEL - Electric start, Front operation, Long shaft

Product parameters

产品型号 Product Model	F15	F20	F25
Engine Type	4Stroke	4Stroke	4Stroke
Idle Speed (r/min)(Neutral position)	1000-1100	1000-1100	1000-1100
Displacement (cc)	362	362	362
Bore XStroke(mm)	63 X 58.1	63 X 58.1	63 X 58.1
Max.Power Output(kw(ps)/r/min)	11 (15)@5000	14.7 (20)@5500	18.4 (25)@6000
Gear Ratio	2.08(27/13)	2.08(27/13)	2.08(27/13)
Transom Height(mm)(SL)	S:438 L:565	S:438 L:565	S:438 L:565
燃油 Fuel Tank(L)	24	24	24
Engine oil system capacity	1.8	1.8	1.8
Propeller Size(in)	3-9 1/4" * 11"	3-9 1/4" * 11"	3-9 1/4" * 11"
Net Weight(kg)	S:51 L:53	S:51 L:53	S:51 L:53
Packing Size(cm)	S:126X76.5X52.5 L:141X76.5X51.5	S:126X76.5X52.5 L:141X76.5X51.5	S:126X76.5X52.5 L:141X76.5X51.5

F60/F50



Applicable ship type

本产品适用于各种小型船舶，如充气船、木质船、FRP船、塑料船等，长度在5.2米至7.3米之间。

The 4-stroke 60 horsepower outboard motor is suitable for small vessels of different materials, such as inflatable boats, wooden boats, FRP boats, plastic boats and so on, ranging from 5.2 m to 7.3 M

Fuel application

请使用92号汽油，并单独将油加入油箱。

Other notes

本机具有前进、空档、倒车档，水冷系统。铝合金螺旋桨，内置24升汽油油箱。

> Product parameters

产品型号 Product Model	F50	F60
Engine type	4Stroke	4Stroke
Idle Speed (r/min)(Neutral position)	700-800	700-800
Displacement (cc)	996	996
Cylinder diameter • stroke (mm)	65.0X75.0	65.0 X 75.0
Maximum output power (kw (ps)/r/min)	36.8(50)@5500	44.1(60)@6000
Gear speed ratio	1.85(24/13)	1.85(24/13)
Stern height (mm)	527	527
Fuel tank capacity (L)	24	24
Engine oil system capacity	2.1	2.1
Net Weight (kg)	115	115
Propeller Specification	3-11 1/8" X 13"	3-11 1/8" X 13"
Packaging box size (cm)	162X53X90	162X53X90

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.aiqidi.nt-rt.ru | | aiq@nt-rt.ru